



ULTRA SYNTHET HI-TEMP GREASE

Material Safety Data Sheet

SECTION 1 IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name Wynn's Ultra Synthet Hi-Temp Grease

Other Names 58503 400g

Recommended Use Lubrication grease

Supplier Name Wynn's Australia Pty Ltd
An (ITW), Illinois Tool Works Company
ABN 73 000 370 150

Address 100 Hassall Street, Wetherill Park NSW 2164
Private Bag 35, Wetherill Park DC NSW 2164

Telephone Number (02) 9828 0900

Email: wynnsaus@wynns.net
Website: www.wynns.net

Emergency Phone Number (02) 9828 0900 Monday-Friday 8.00am – 5.00pm
13 11 26 (24 hours Australia) Poisons Information Centre (PIC)
0800 764 766 (New Zealand) Poisons Information Centre (PIC)

SECTION 2 HAZARDS IDENTIFICATION

Hazard Classification NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.
Not classified as hazardous according to the criteria of NOHSC.
Not classified as a Dangerous Good according to the Australian Code for Transport of Dangerous Goods by Road and Rail.

Risk Phrase None

Safety Phrase None

SECTION 3	COMPOSITION/INFORMATION ON INGREDIENTS
------------------	---

Pure substances

Not applicable – Mixture

Mixtures

Chemical Identity	CAS Number	Proportion
Heavy, highly refined, paraffinic mineral oil	64742-62-7	10 - < 30%
Heavy, solvent- refined, naphthenic mineral oil	64741-96-4	10 - < 30%
Other non-hazardous ingredients	-	10 - < 30%
Heavy, solvent-dewaxed, paraffinic mineral oil	64742-65-0	< 10%
Calcium sulphonate	-	10 - < 30%

SECTION 4	FIRST AID MEASURES
------------------	---------------------------

Ingestion

Do NOT induce vomiting. Immediately wash out mouth with water, and then give plenty of water to drink. Seek medical attention.

Skin

Remove all contaminated clothing. Wash gently and thoroughly with water and non-abrasive soap. Ensure contaminated clothing is washed before re-use, or discard. If irritation develops and persists, seek medical attention. Should grease be accidentally injected under the skin, no matter how minor, seek IMMEDIATE medical attention.

Eye

Rinse eyes immediately with water for at least 15 minutes. In case of irritation, seek medical advice.

Inhalation

Remove the patient to fresh air. Ensure airways are clear and have qualified person give oxygen through a facemask if breathing is difficult. If irritation develops, seek medical attention.

First Aid Facilities

No special facilities required.

Advice to Doctor

Treat symptomatically. Injections under the skin resulting from contact with high pressure, constitutes a major medical emergency. Injuries may not appear serious at first but within a few hours, tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that the high pressure may force the product considerable distance along tissue.

SECTION 5 FIRE FIGHTING MEASURES

Suitable Extinguishing Media	Use water as fog or spray to cool fire exposed containers. Do not use direct stream of water as product will float, possibly re-igniting.
Hazards From Combustion Products	Oxides of carbon.
Precautions For Fire Fighters	SCBA and full protective clothing should be worn.
Special Protective Equipment	None required.
Hazchem Code	None assigned.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Contain spill which may be slippery. Remove all sources of ignition. Increase ventilation.
Methods and Materials for Containment and Clean Up Procedures	Place inert absorbent material such as vermiculite, sand or dirt onto spillage. Use clean non-sparking tools to collect the material and place into a suitable labelled container. If large quantities of this material enter the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.

SECTION 7 HANDLING AND STORAGE

Precautions for Safe Handling	<p>Repeated or prolonged contact with this material should be avoided in order to lessen the possibility of skin disorders. It is essential that all who come into contact, maintain high standards of personal hygiene ie washing hands prior to eating, drinking or going to the toilet. Build-up of mists in the working atmosphere must be prevented.</p> <p>Misuse of empty containers can be hazardous. Do not cut, weld, heat or drill containers. Residue may ignite with explosive violence if heated sufficiently. Do not pressure or expose to open flame or heat. Keep container closed and bung in place.</p>
Conditions for Safe Storage	Classified as a combustible substance for storage and handling purposes. Store in a cool, dry, well-ventilated area, out of direct sunlight. Avoid sparks, flames, and other ignition sources. Store away from incompatible materials such as materials that support combustion (oxidising materials). Reference should be made to Australian Standard AS1940- The storage and handling of flammable and combustible liquids.

SECTION 8	EXPOSURE CONTROLS/PERSONAL PROTECTION
------------------	--

National Exposure Standards

Name	ES-TWA	ES-STEL	ES-Peak
None established for product	-	-	-
Established for ingredients			
Mineral Oil Mist	5mg/m ³	10mg/m ³	-

Alternative Standards

Petroleum Oil Mist	OSHA (PEL)	5mg/m ³
	ACGIH (TLV-TWA)	5mg/m ³

Contains no other ingredients now known to be hazardous as defined by OSHA 29 CFR 1910.1000(z) and 29CFR 1910.1200.

Exposure Standard means the average concentration of a particular substance in the worker's breathing zone, exposure to which, according to current knowledge, should not cause adverse health effects nor cause undue discomfort to nearly all workers.

Biological Limit Values

No biological limit allocated.

Engineering Controls

The use of mechanical dilution ventilation is recommended whenever this product is used in a confined space, is heated above ambient temperatures or otherwise to maintain ambient concentration below the recommended threshold exposure limits.

Personal Protective Equipment**Respiratory Protection**

Avoid breathing vapours or mists.
When vapours are generated, the use of the following is recommended: half face piece respirator with dust/mist filters. The appropriate filter capacity and respirator type will depend on exposure levels encountered.

Eye / Face Protection

Chemical safety goggles are recommended. If handled hot, a full face shield should be worn.

Skin Protection

Use of impervious rubber gloves are recommended. Clothing should be suitable to avoid product contacting the skin on a prolonged or repeated basis.

Thermal Hazards

None required.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Ruby red smooth grease
Odour	Negligible
pH Value	Not applicable
Vapour Pressure	Not available
Vapour Density	Not available
Boiling Point/Range	Not available
Freezing Point	Not applicable
Melting Point	300°C
Solubility	Not available
Density	0.980 @ 15°C
Flash Point	232°C (COC) as base oil
Flammable Limits	Not available
Ignition Temperature	Not available

SECTION 10 STABILITY AND REACTIVITY

Chemical Stability	Stable under normal conditions of storage and handling.
Conditions to Avoid	None allocated.
Incompatible Materials	Strong oxidising agents.
Hazardous Decomposition Products	Oxides of carbon.
Hazardous Reactions	No hazardous polymerisation will occur.

SECTION 11 TOXICOLOGICAL INFORMATION

Toxicology Information	This material has not been identified as a carcinogen by NTP, IARC or OSHA. Prolonged or repeated contact may cause skin and eye irritation.
Acute Health Effects	
Ingestion	May cause irritation to the mouth, oesophagus and stomach. Symptoms may include nausea, vomiting and diarrhoea.
Inhalation	May cause irritation to the mucous membrane and upper airways, especially if the material is heated or mists are generated and/or is used in poorly ventilated areas. Symptoms may include headache, dizziness and nausea.

Eye May cause slight to moderate eye irritation, resulting in redness and stinging.

Skin May dry and defat the skin, resulting in skin irritation and possible dermatitis. Grease accidentally injected under the skin can result in local necrosis and tissue damage.

Chronic Health Effects

Skin Prolonged or repeated contact with this material may result in skin irritation leading to dermatitis.

SECTION 12	ECOLOGICAL INFORMATION
-------------------	-------------------------------

Ecotoxicity No ecotoxicological classifications.

**Persistence/
Degradability** This product is inherently biodegradable.

Mobility Spillages are unlikely to penetrate the soil.

SECTION 13	DISPOSAL CONSIDERATIONS
-------------------	--------------------------------

Disposal Methods Dispose of waste according to federal, EPA, state and local regulations. Assure conformity with all applicable regulations.

**Special Precautions for
Landfill or Incineration** None allocated.

SECTION 14	TRANSPORT INFORMATION
-------------------	------------------------------

UN Number None allocated.

Proper Shipping Name None allocated.

**Class and Subsidiary
Risk** Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

Packing Group None allocated.

**Special Precautions
for User** None required.

Hazchem Code None allocated.

SECTION 15	REGULATORY INFORMATION
-------------------	-------------------------------

Poisons Schedule	Not scheduled under SUSDP.
Hazard Category	All ingredients present on AICS.

SECTION 16	OTHER INFORMATION
-------------------	--------------------------

Acronyms

ABN	Australian Business Number
ACGIH	American Conference of Governmental Industrial Hygienists
ADG	Australian Dangerous Goods
AICS	Australian Inventory of Chemical Substances
AS	Australian Standard
CAS	Chemical Abstracts Service (USA)
COC	Cleveland Open Cup
EPA	Environment Protection Agency (Australian States)
IARC	International Agency for Research on Cancer
IP	Institute of Petroleum (UK)
NIOSH	National Institute for Occupational Safety and Health (USA)
NOHSC	National Occupational Health and Safety Commission (Australia)
NTP	National Toxicology Program (USA)
NZS	New Zealand Standard
OSHA	Occupational Safety and Health Administration (USA)
PEL	Permissible Exposure Level
PMCC	Pensky – Martens Closed Cup
SCBA	Self-Contained Breathing Apparatus
STEL	Short Term Exposure Limit
SUSDP	Standard for the Uniform Scheduling of Drugs and Poisons (Australia)
TLV	Threshold Limit Value
TWA	Time Weighted Average
UN	United Nations

Abbreviations

cP	centiPoise
cSt	centiStoke
g	gram
Hg	Mercury
kPa	kiloPascal
L	litre
m ³	cubic metre
mg	milligram
mL	millilitre
mm	millimetre
°C	degrees of temperature in Celsius (Centigrade)
%	percent(age)

Note

This form has been prepared in accordance with the National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011 (2003)] issued by the National Occupation Health and Safety Commission April 2003.

All information contained in this form is as accurate as possible at the time of issue. The data contained herein is not to be taken as an expressed or implied warranty or representation, for which Wynn's Australia Pty Ltd assumes legal responsibility. No responsibility for damages resulting from use of the information is given, other than those implied mandatorily by Federal or State Government Legislation.

END OF MATERIAL SAFETY DATA SHEET